

CHAPTER 9A

STATISTICAL DESCRIPTION OF DATA STATISTICAL

SLATIN WORD - STATUS, ITALIAN WORD: - STATESTO





Application of statistics

1. Economics

Economics and Statistics are closely associated. Time Series Analysis, Index Numbers, Demand Analysis etc. are some overlapping areas of Economics and

2. Business Management

Because of the never-ending complexity in the business and industry environment, most of the decision-making processes rely upon different quantitative techniques which could be described as a combination of statistical methods and operations research techniques.

3. Statistics in Commerce and Industry

Data on previous sales, raw materials, wages and salaries, products of identical nature of other factories etc. are collected, analyzed and experts are consulted in order to maximize profits. Measures of central tendency and dispersion, correlation and regression analysis, time series analysis, index numbers, sampling, statistical quality control are some of the statistical methods employed in commerce and

Limitations of Statistics

Statistics and its techniques are widely used in every branch of knowledge. W.I. King rightly says: "Science of water in the service of the s rightly says: "Science of statistics is the most useful servant. But only of great value to those who understand its proper use."


Important limitations

- 1. Statistics does not deal with [individual item. 2. Statistics deals with quantitative daţa.

- 3. Statistics laws are true only on averages. 4. Statistics does not reveal the entire story.
- 5. Statistics is liable to be misused.
- Statistics data should be uniform and homogeneous.

Statistics

9A.2



Mailed Questionnaire Method

NATURAL CALAMITES

Interview method

Personal
Interview


Statistics


Indirect Interview


Telephone Interview


Questionnaire filled and sent

9A.3












Pie Diagram


- A pie diagram is a circular diagram which represent the total value with its component. The area of circle represents the different parts.
- In a pie diagram data are expressed as **percentage**. Each Component is expressed as percentage of total value. The pie diagram is also known as angular diagram.
- The Surface area of Circle is 2π radians or 360°

Angle of the circle =
$$\frac{Frequency\ of\ sector}{Total\ Frequency} \times 360^{\circ}$$

Example: 120 students of a college were asked to opt different work experience. The details of these options are as under.

| Area of work | No of Students | Angle of |
|----------------------|-------------------|--------------|
| Photography | 6 | 15x3eo =16. |
| Clay modelling | 30 | 30 x360 = 90 |
| Kitchen Gardening | 48 | =IVY ° |
| Doll Making | 12 | -36° |
| Book Printing | 24 | : 72° |
| William) | 1120 | = 360° |






Step-4: Apply 'Tally Marks'



Frequency Distribution

A frequency distribution is the arrangement of the **given data** in the form of a table showing frequency with which each variable occurs.



Step-5: Count tally marks write these in numbers in next column, known as frequency column.



Discrete Variable

Example: A review of the first 30 pages of a statistics book reveals the following printing mistakes:

| 0 | 1 | 3 | 3 | 2 | 5 | 6 | 0 | 1 | 0 |
|---|---|---|---|---|---|---|---|---|---|
| 4 | 1 | 1 | 0 | 2 | 3 | 2 | 5 | 0 | 4 |
| 2 | 3 | 2 | 2 | 3 | 3 | 4 | 6 | 1 | 4 |

Make a frequency distribution of printing mistakes.

Solution:

| Frequency | Distribution | Table |
|-----------|--------------|-------------------|
| | | The second second |

| Printing Mistake | Tally Marks | Frequency |
|------------------|-------------|-----------|
| 0 | M | 5 |
| 1 | LUH | 5 |
| 2 | 141 | 6 |
| 3 | WH I | 6 |
| 4 | 1111 | 4 |
| 5 | 11 | 2 |
| 6 | 11 | 2 |
| 1000 | | 30 |

Continuous Variable

IMPORTANT Example: Following are the weights in kgs. of 36 BBA students of St. Xavier's College.

| | | | 9 | | | | | |
|----|----|----|----|----|-----|----|----|----|
| 70 | 73 | 49 | 61 | 61 | 47 | 57 | 50 | 59 |
| 59 | 68 | 45 | 55 | 65 | 68 | 56 | 68 | 55 |
| 70 | 70 | 57 | 44 | 69 | .73 | 64 | 49 | 63 |
| 65 | 70 | 65 | 62 | 64 | 73 | 67 | 60 | 50 |

Make a frequency distribution of printing mistakes, Take Class length =5

| Printing Mistake | Tally Marks | Frequency |
|------------------|-------------|-----------|
| 43 -48 | III | 3 |
| 49-53 | 1111 | 4 |
| 59-50 | un | 5 |
| 59 - 63 | WH II | 3 |
| 89 - 49 | m IIII | 9 |
| 69 - 73 | III III | 8 |
| | | 36 |
| | | |

Frequency Distribution Table

No of class Range LS.0 = 61

Some Important terms associated with frequency Distribution (Do Learn it)

Frequency Density of Class Interval > Always lies BW

clan length.

Relative Frequency & Percentage

| Frequen | cy of Class interval |
|--------------|----------------------|
| Example | nicololus a ha |
| eights in Kg | Frequency |

| | | | _ |
|---|---------------|-----------|---|
| | Weights in Kg | Frequency | 1 |
| 5 | 44-48 | 3 | 1 |
| 5 | 49-53 | 4 | 1 |
| | 54-58 | 5 | |

Statistics






Graphically Method to Present Frequency Distribution

Histogram

- A histogram is used to frequency distribution.
- A Histogram is a graph containing a set of class interval by its width and the frequency in each class interval by its height.
- This type of diagram is used exclusively for showing frequency distributions of quantitative data that are continuous in nature.



12

8

5

90 110


clave inter.

Histogram


cause pla-


Histogram with Equal Class Interval

| х | 1-5 | 5-10 | 10-15 |
|---|-----|------|-------|
| f | 5 | 12 | 8 |




Histogram with Unequal Class Interval





Histogram When Mid-Points are Given



130 150

Judunice 4 Exclopivedro



- ✓ Different Scale's may be taken on 2 axes (i.e., x-axis & y-axis).
- ✓ King mark () is used if class interval is not starting from 0.


In Histogram - Height & width

Height matters.

Frequency Polygon

Example: Draw Histogram and Frequency polygon

| Monthly ages | No of Employees |
|--------------|-----------------|
| 40-50 | 36 |
| 50-60 | 87 |
| 60-70 | 121 |
| 70-80 | 154 |
| 80-90 | 133 |
| 90-100 | 95 |
| 100-110 | 50 |
| 110-120 | 30 |




100 110 80 90 Monthly wages

polygon mid-point of the class interval (mid-point of the top horizontal sides of rectangles in a histogram) its and corresponding frequency are plotted. The plotted points are joined successively by line segment which is known as Frequency Polygon.

In order to draw frequency

Statistical Description of Data




Frequency Curve

Types of Frequency Curve

- A frequency curve is drawn by smoothing the frequency polygon. It is smoothed in such a way that the sharp turns are avoided
- The curve is drawn in such a way that Area included under the curve is approximately the same as that of the frequency polygon

PMP ORIANT • To draw frequency curve Frequency Frequency Histogram Polygon



Bell-shaped curve

el worker for


Distaile

schools

Most

- Most of the **commonly used** distributions provide bell-shaped curve
- In case of **Profit** of a Company we should prefer this curve.


Minimum-Maximum-Minimum



U-shaped curve


- For a U-shaped curve, the frequency is minimum near the central part and the frequency slowly but steadily reaches its maximum at the two extremities.
- The distribution of Kolkata bound commuters belongs to this type of curve as there are maximum **number** of commuters during the peak hours in the morning and in the evening.

Maximum-Minimum-Maximum





J-shaped


- The J-shaped curve starts with a minimum frequency and then gradually reaches its
- The distribution of commuters coming to Kolkata from the early morning hour to peak morning hour follows such a distribution.



Lastly, we may have a combination of these frequency curves, known as mixed









Ogive Curve or Cumulative frequency Distribution

It is Obtained by plotting the graph between Class Boundaries & Cumulative frequency

Less than Ogive

Plotted Between

Cumulative Frequency with Upper Boundary

More than Ogive

Plotted Between

Cumulative Frequency with Lower Boundary

Assumption


It is assumed that class preceding the first class in the classification exist and its frequency is Zero

Example: Draw the less than and More than Ogive from following distribution.

| Weekly wages | 0-20 | 20-40 | 40-60 | 60-80 | 80-100 |
|---------------|-------------|-------|-------|-------|--------|
| No of Workers | 1190741 910 | 51 | 64 | 38 | 7 |

Solution:

| | | Cumulative Frequency | | | |
|--------------|-----------|----------------------|---------------|--|--|
| Weekly wages | Frequency | Less than | More than | | |
| 020 | 41- | 411 | 201 | | |
| 2040 | 51 | 92 1 | 160 | | |
| 40(60) | 64 | 156 V | 109 | | |
| 60(80) | 38 | 194 ~ | г | | |
| 80-100 | 7 | 2012 | robitions for | | |



Points to Remember

Draw a Straight line from point of intersection of two Ogive on X-axis, The Point of Intersection is Median

We Can even Say Ogive Help us to Find Partition Values


Median = Q1 = D5 = Pso

Note: - For partiwlar class Boundary




Important Highlights (Do Learn it)

| S.no | Particulars | Appropriate Method |
|------|---|--------------------------|
| 1. | Best Method to Present Data (Most Accurate) | TABOLAR |
| 2. | Most attractive (Hidden Trends) | DIAYRAMATIC |
| 3. | Charts Uses Logarithm | RATIO CHARTS |
| 4. | To Check Consistency & Accuracy | SCRUNITY |
| 5. | Internal Consistency can be Checked? | NUMBER OF Releate Series |



No. of class Interval =) 1+3.22 log (- total of frequency



| Difference Between Histogram | |
|-------------------------------------|-----------------------------------|
| Refers to Graphical Presentations | Bar Chart |
| Distribution of Continuous Variable | Refers to Pictorial Presentations |
| Quantitative Data | Distribution of Discrete Variable |
| Bars touches each other's | Categorial Data |
| Bars can't be reordered | Bars Don't touch each other's |
| Width of bars can or cannot be same | Bars can be reordered |
| 19 | Width of bars is same |

Statistics

YOUR MATHS BUDDY Statistical Description of Data Other Useful Concepts